

L Number	Hits	Search Text	DB	Time stamp
13	0	(detect\$ with byte) same modfi\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:25
14	0	(detect\$ with ((certain specific) adj message)) same modfi\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:25
15	0	(detect\$ with message) same modfi\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:26
17	1044	(modify change set alter) adj byte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:41
18	1070	(modify change set alter manipulate) adj byte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:42
19	11677	(modify change set alter manipulate) adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:41
20	4	710/65 and ((modify change set alter manipulate) adj byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:41
21	12508	(modify change set alter manipulate) near3 byte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:42
22	58	710/65 and ((modify change set alter manipulate) near3 byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:42
16	630	710/65	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:44
-	693	precompensation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:57
-	98233	"p_en"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:57
-	69	p adj EN	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 12:58
-	20	"parallel protocol message"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:03

-	0	"parallel protocol request"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:04
-	97	scsi and precompensation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:23
-	285	"write precompensation"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:23
-	13950	"signal conditioning"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:23
-	0	"adjustable active filtering"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/04 13:40
-	3970	((set change) near3 bit) same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:51
-	649	byte same (((set change) near3 bit) same message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:25
-	469	((modify change) near3 bit) same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:26
-	39	byte same (((modify change) near3 bit) same message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:26
-	34	(byte same (((modify change) near3 bit) same message)) and ((@ad @rlad)<=20020211)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:33
-	351	(modify cahnge) adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:34
-	1898	(modify change) adj message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:49
-	261	((modify change) adj message).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 13:36
-	223	((@ad @rlad)<=20020211) and (((modify change) adj message).ti,ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:46

-	141	(modify change) adj byte	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:41
-	4	((modify change) adj byte) same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:50
-	3262	(modify change) adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:51
-	475	((modify change) adj bit)).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:51
-	426	((modify change) adj bit)).ti,ab.) and ((@ad @rlad)<=20020211)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:53
-	379	((modify change) adj bit)).ti,ab.) and ((@ad @rlad)<=20020211)) not "bit rate"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:55
-	12	((modify change) adj bit)).ti,ab.) and ((@ad @rlad)<=20020211)) not "bit rate") and message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 14:55
-	11488	(modify change set) adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:50
-	1483	((modify change set) adj bit).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:41
-	1364	((@ad @rlad)<=20020211) and ((modify change set) adj bit).ti,ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:43
-	0	((@ad @rlad)<=20020211) and ((modify change set) adj bit).ti,ab.)) and 710/1-450.ccls	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:42
-	1	scsi and ((@ad @rlad)<=20020211) and ((modify change set) adj bit).ti,ab.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 15:43
-	137519	710/	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:43
-	269	scsi near3 expans	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/02 16:44

-	75	"write precompensation" and scsi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/02 16:47
-	2	precompensation adj enable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/02 16:50
-	99	((modify change set) adj content) near3 message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/02 16:50
-	79	((modify change set) adj content) near3 message) and ((@ad @rlad)<=20020211)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:35
-	438	scsi same bit same (set change manipulate modify)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 11:41
-	351	(scsi same bit same (set change manipulate modify)) and ((@ad @rlad)<=20020211)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:01
-	9	(scsi same bit same (set change manipulate modify)) and 710/2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:01
-	37	((modify change set alter) adj byte) same message	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:37
-	32	((@ad @rlad)<=20020211) and ((modify change set alter) adj byte) same message)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:50
-	3465	710/305-317.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:51
-	208	alter adj bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:52
-	15	(alter adj bit).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:55
-	4	(manipulate adj bit).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:58
-	453	(change adj bit).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 13:58

-	406	((change adj bit).ti,ab.) and ((@ad @rlad)<=20020211)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:58
-	2	((change adj bit).ti,ab.) and ((@ad @rlad)<=20020211)) and (router repeater)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:59
-	640	710/2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 13:59
-	626	((@ad @rlad)<=20020211) and 710/2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:00
-	84767	(set change modify alter) near3 (bit bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:05
-	114	((@ad @rlad)<=20020211) and 710/2) and ((set change modify alter) near3 (bit bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 14:01
-	18953	(manipulate change modify alter) near3 (bit bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:55
-	20	((@ad @rlad)<=20020211) and 710/2) and ((manipulate change modify alter) near3 (bit bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:54
-	630	710/65	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:54
-	38	(manipulate change modify alter) near3 (certain adj (bit bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 19:55
-	55	(manipulate change modify alter) near3 (specific adj (bit bits))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:49
-	0	((manipulate change modify alter) near3 (certain adj (bit bits))) and ((manipulate change modify alter) near3 (specific adj (bit bits)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 15:56
-	325	equalization and scsi	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:10
-	29	(equalization and scsi) and precompensation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 16:11

-	0	((manipulate change modify alter) near3 (certain adj (bit bits))) or ((manipulate change modify alter) near3 (specific adj (bit bits))) and 710/65	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 16:48
-	18953	(manipulate change modify alter) near3 (bit bits)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 16:49
-	93	((manipulate change modify alter) near3 (certain adj (bit bits))) or ((manipulate change modify alter) near3 (specific adj (bit bits)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 19:55
-	28	((manipulate change modify alter) near3 (bit bits)) and ((@ad @rlad)<=20020211) and 710/65	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 16:55
-	1	(manipulate change modify alter) near3 ((certain specific) adj byte)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 20:43
-	352	"message detector"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 20:55
-	35	scsi adj expan\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 20:57
-	0	(precompensation "pre-compensation") and (scsi adj expan\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 20:57
-	72	scsi adj exten\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 21:09
-	0	(precompensation "pre-compensation") and (scsi adj exten\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 21:06
-	2	(precompensation "pre-compensation") adj enable	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 21:06
-	6818	"on-the-fly"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 23:06
-	67789	(set change modify alter) near3 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 23:12
-	21920496	(@ad @rlad)<=20020211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/03 23:07

-	4	scsi and ("on-the-fly" same ((set change modify alter) near3 bit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:08
-	54	"on-the-fly" same ((set change modify alter) near3 bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:11
-	21956	(modif\$ alter\$ mani\$) near3 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:15
-	68119	(sets setting set) near3 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:15
-	21137	(change changes changing) near3 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:16
-	74	((modif\$ alter\$ mani\$) near3 bit) ((sets setting set) near3 bit) ((change changes changing) near3 bit)) same "on-the-fly"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:18
-	15	((modif\$ alter\$ mani\$) near3 bit) ((sets setting set) near3 bit) ((change changes changing) near3 bit)) with "on-the-fly"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:20
-	59	((modif\$ alter\$ mani\$) near3 bit) ((sets setting set) near3 bit) ((change changes changing) near3 bit)) same "on-the-fly" not (((modif\$ alter\$ mani\$) near3 bit) ((sets setting set) near3 bit) ((change changes changing) near3 bit)) with "on-the-fly"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/03 23:21